

Duplikat



# Zertifikat

## Ringversuch Januar 2009

Gültigkeitsdauer 12 Monate

(R) = RiliBÄK: Gültigkeitsdauer 6 Monate

### INSTAND e.V.

Gesellschaft zur Förderung  
der Qualitätssicherung in  
medizinischen Laboratorien e. V.  
(vormals Hämometerprüfstelle)  
Ubier - Str. 20 / PF 250211  
40223 / 40093 Düsseldorf  
Tel. (0211) 159213 - 0  
FAX (0211) 159213 - 30

Der unten genannte Teilnehmer hat die Anforderungen bei folgenden Untersuchungen erfüllt:

#### KLINISCHE CHEMIE (100):

Natrium (M.4) (R)

Phosphat (anorg.) (M.6) (R)

Glucose (M.1) (R)

Cholesterin (M.8) (R)

Cholinesterase (M.5)

HBDH (LDH-1-Isoenzym)

IgA (M.7) (R)

Osmolalitaet (M.1)

#### GLYK.PROTEINE (145):

#### LIPIDE (151):

Apolipoprotein A1 (M.7)

Lp (a)

#### BLUTGASE (161):

PO2 (M.1) (R)

#### PLASMAPROTEINE (241):

Eisen (M.4)

Gesamt-Eiweiss (M.1) (R)

Harnsaure (M.5) (R)

Aldolase (M.2)

Kreatinkinase (M.8) (R)

LDH (Lactat-DH) (M.8) (R)

IgG (M.7) (R)

Lactat (M.1) (R)

HbA1C (M.4) (R)

Cholesterin (M.2) (R)

Apolipoprotein B (M.7)

pH-Wert (M.1) (R)

Ferritin (M.35) (R)

Calcium (R)

Transferrin (M.39) (R)

Albumin (M.1) (R)

Harnstoff (M.3) (R)

Alkalische Phosphatase (M.23) (R)

GGT (M.8) (R)

Lipase (M.36) (R)

IgM (M.7) (R)

Pankreas Amylase (M.77)

Fructosamin

HDL-Cholesterin (M.8)

LDL-Cholesterin (M.3)

PCO2 (M.1) (R)

Chlorid (M.7) (R)

Kupfer

Bilirubin ges. (M.3) (R)

Kreatinin (M.5) (R)

GOT (ASAT) (M.8) (R)

Kalium (M.4) (R)

Magnesium (M.5) (R)

Direktes Bilirubin (M.3)

Triglyzeride (M.7) (R)

alpha-Amylase (M.14)

GPT (ALAT) (M.8) (R)

6875

Inst. f.Med.u.Chem.Labordiagnostik

TQM - Bereich Klin.Chemie

AKH Wien

Waehringer Guertel 18-20

1090 Wien

Österreich

Düsseldorf, der 12.03.2009



*Reinauer*

Prof. Dr. med. Reinauer  
(Leiter der Referenzinstitution)

(R) : RiliBÄK